

# Seminar: Riemannian Holonomy

## Winter Semester 2024/25

Prof. Dr. Thomas Walpuski  
Humboldt-Universität zu Berlin

2024-09-03

This seminar takes place every Wednesday 13–15 during the Winter Semester 2024/25 in Rudower Chaussee 25 Haus 1 Room 012.

### What is this seminar about?

The choice of a Riemannian metric  $g$  on a smooth manifold  $X$  induces concepts of distance, geodesics, curvature, volume, etc. Riemannian Geometry is concerned with studying the ramifications of these concepts. Every smooth manifold  $X$  admits a Riemannian metric, but  $X$  may admit *additional structure*, e.g.: an almost complex structure  $I$ .

What does it mean for such a structure to be *compatible* with the Riemannian metric?

A reasonable answer is to demand that the structure is *parallel* with respect to the Levi-Civita connection. The study of Riemannian manifolds together with a compatible additional structure is *refinement* of Riemannian geometry. Arguably, the most important such refinement Kähler geometry: the study of Riemannian manifolds  $(X, g)$  together with parallel (almost) complex structures  $I$ .

What (other) *kind* of structures might be compatible with a Riemannian metric?

This question can be addressed systematically by studying  $\text{Hol}(g) \subset O(n)$ , the *holonomy group* “generated by parallel transport”. In fact, the *holonomy principle* translates the above question into the classification of (Riemannian) holonomy groups. This classification has been achieved by Berger [Ber55] in a tour de force. His answer is that, after various simplifications, the following possibilities remain:

dim $X$	Hol( $g$ )	
$n$	$SO(n)$	“generic”
$2n$	$U(n)$	Kähler
$2n$	$SU(n)$	Calabi–Yau
$4n$	$Sp(n)$	hyperkähler
$4n$	$Sp(1) \cdot Sp(n)$	quaternion-Kähler
7	$G_2$	
8	$Spin(7)$	

The purpose of the first two talks of this seminar is to explain what the above means.

The bulk of the seminar is devoted to understanding (or beginning to understand) the six geometries corresponding to the special holonomy groups. In particular, the talks will address the questions: What are these spaces? How can one work with them? How can one construct them? Moreover, each of these geometries leads to specific questions, conjectures, open problems, etc.

## Prerequisites

The seminar assumes a firm grasp on the basic concepts of differential geometry and Riemannian geometry (at the level taught in Differential Geometry I, II at HU Berlin).

## Talks

- (1) ORGANISATION (Date: 16.10)
  - (2) INTRODUCTION TO RIEMANNIAN HOLONOMY (Date: 23.10, Speaker: TBD)
    - (a) Review of Riemannian Geometry; in particular: Levi-Civita connection, Riemann curvature tensor (and its symmetries), parallel transport (of tensor fields).
    - (b) Review or introduce Lie groups and their Lie algebras.
    - (c) Define the holonomy group  $\text{Hol}(g)$  of a Riemannian manifold; mention that it is Lie group.
    - (d) Establish the holonomy principle.
    - (e) Discuss the Ambrose–Singer Theorem, relating  $\text{Hol}(g)$  and the Riemann curvature tensor  $R_g$ .
- [Joy00, §3.1]
- (3) RIEMANNIAN SYMMETRIC SPACES, DE RHAM DECOMPOSITION THEOREM, BERGER’S CLASSIFICATION (Date: 30.10, Speaker: TBD)
    - (a) Riemannian Symmetric Spaces: various characterization, determination of holonomy group; possibly: mention Cartan’s classification

- (b) State the de Rham Decomposition Theorem; possibly: sketch proof.
- (c) State Berger's Classification of Riemannian Holonomy Groups: Provide a superficial sketch of Berger's proof.

[Joy00, §3.2, 3.3, 3.4]

(4) KÄHLER MANIFOLDS I: (Date: 6.11, Speaker: TBD)

- (a) Introduce (almost) complex manifolds.
- (b) Provide examples:  $CP^n$ , smooth projective varieties, Hopf manifolds, etc.
- (c) Discuss the  $(p, q)$  decomposition of  $\Omega^*(X; \mathbb{C})$  on almost complex manifolds, and the decomposition of the exterior derivative  $d$ .
- (d) Motivate and introduce the Nijenhuis tensor. State the Newlander–Nirenberg Theorem.
- (e) Introduce holomorphic vector bundles, holomorphic sections. Provide examples:  $\mathcal{O}_{CP^n(k)}$ , canonical bundle  $K_X$ , etc. Possibly: mention Kodaira embedding.

[Joy00, §4.1, 4.2, 4.3; Huy05, §2]

(5) KÄHLER MANIFOLDS II: (Date: 13.11, Speaker: TBD)

- (a) Define the concept of a Kähler manifold as a complex manifold equipped with a Kähler metric.
- (b) Construct the Fubini–Study metric on  $CP^n$ .
- (c) Explain the relation between Kähler manifolds and holonomy  $U(n)$ .
- (d) Prove the local  $\partial\bar{\partial}$ -Lemma; state the global  $\partial\bar{\partial}$ -Lemma; introduce the concepts of Kähler potential, Kähler class, Kähler cone.

[Joy00, §4.4, 4.5][§2]Huybrechts2005:ComplexGeometry

(6) KÄHLER MANIFOLDS III: (Date: 20.11, Speaker: TBD)

- (a) Review or summarise Hodge theory on compact Riemannian manifolds.
- (b) Prove the Kähler identities.
- (c) Explain the Hodge Theory of Kähler manifolds.
- (d) Prove the global  $\partial\bar{\partial}$ -Lemma.
- (e) Prove Serre duality.
- (f) Prove that Hopf manifolds admits no Kähler metric.

[Joy00, §4.7; Huy05, Appendix A, §3]

(7) CALABI–YAU MANIFOLDS I (Date: 27.11, Speaker: TBD)

- (a) Recall the canonical bundle  $K_X$ . Explain the connection between the curvature of the canonical bundle  $K_X$  and Ricci curvature. Introduce the concepts Calabi–Yau metric, Calabi–Yau manifold.
- (b) Review or introduce the first Chern class; in particular:  $c_1(K_X)$ .
- (c) Discuss the Calabi conjecture (in the case  $c_1(K_X) = 0$ ) and Yau’s Theorem.
- (d) Introduce the tools to compute  $c_1(K_X)$  for  $X = CP^n$  and complete intersections in  $CP^n$ : Euler sequence, adjunction formula etc. Prove that a smooth quartic  $Q \subset CP^3$  admits a Calabi–Yau metric.

[Joy00, §5, §6]

(8) CALABI–YAU MANIFOLDS II (Date: 4.12, Speaker: TBD)

- (a) Discuss the Calabi–Ansatz. Construct Eguchi–Hanson metric on  $\mathcal{O}_{CP^1}(-2) \cong T^*S^2$ .
- (b) Discuss the construction of the Stenzel–Metric on  $T^*S^n$ .

ALTERNATIVELY: Discuss the Tian–Todorov Theorem on the unobstructedness of deformation theory of Calabi–Yau manifolds.

[Lye23; Huy05, §6]

(9) HYPERKÄHLER 4–MANIFOLDS (Date: 11.12, Speaker: TBD)

- (a) Explain the coincidence  $Sp(1) = SU(2)$
- (b) Introduce the concept of hyperkähler 4–manifold.
- (c) Discuss the Gibbons–Hawking construction
- (d) Construct the (multi-center) Eguchi–Hanson and (multi-center) Taub–NUT metrics using the Gibbons–Hawking construction. Determine their asymptotic geometry at infinity.
- (e) Introduce the concept of ALE hyperkähler 4–manifolds (“gravitational instantons”); maybe: mention the work of Kronheimer;
- (f) Possibly: summarise the recent developments on “gravitational instantons”

[GH78; GRG97]

(10) HYPERKÄHLER MANIFOLDS (Date: 18.12, Speaker: TBD)

- (a) Introduce the concepts hyperkähler manifold, complex symplectic manifold. Explain their relation via Yau’s theorem.
- (b) Sketch (possibly very superficially) construction methods of compact hyperkähler manifolds;
- (c) Explain the hyperkähler quotient construction.
- (d) Sketch the construction of the Eguchi–Hanson space as a hyperkähler quotient. Maybe: recall/mention the work of Kronheimer and give a glimpse of his construction.

[Joy00, §7; HKLR87; Hit92]

(11) QUATERNIONIC KÄHLER MANIFOLDS (Date: 8.1, Speaker: TBD)

- (a) Introduce the concept of quaternionic Kähler manifolds.
- (b) Discuss the known compact examples of quaternionic Kähler manifolds; mention the LeBrun–Salamon conjecture.
- (c) Discuss the Quaternionic Kähler/hyperkähler correspondence.

[Joy00, §7.5.2; Bes87, Chapter 14; Swa91; Hayo8; Hit13]

(12)  $G_2$ -MANIFOLDS (Date: 15.1, Speaker: TBD)

- (a) Explain what the exceptional Lie group  $G_2$  is. Discuss how it connects with  $\phi \in \Lambda^3(\mathbf{R}^7)^*$  and  $\psi \in \Lambda^4(\mathbf{R}^7)^*$ . Explain how  $\phi$  (or  $\psi$ ) determines a Euclidean inner product.
- (b) Introduce the concepts (almost)  $G_2$ -manifold,  $G_2$ -structure, torsion of a  $G_2$ -structure; explain their relation.
- (c) Prove Fernandez’s Theorem on the torsion of a  $G_2$ -structure; along the way discuss salient points of the representation theory of  $G_2$ .

[Joy96a; Joy96b; Joy00, §10; Bry06]

(13)  $G_2$ -MANIFOLDS (Date: 22.1, Speaker: TBD)

- (a) Explain Bryant–Salamon’s construction complete non-compact  $G_2$ -manifolds
- (b) Discuss the  $G_2$ -Teichmüller space and Joyce’s theorem on the unobstructedness of the deformation theory.

[BS89]

(14)  $G_2$ -MANIFOLDS (Date: 29.1, Speaker: TBD)

- (a) State Joyce’s  $G_2$  perturbation theorem: “almost torsion-free”  $\rightsquigarrow$  torsion-free.
- (b) Sketch Joyce’s generalised Kummer construction.

[Joy96a; Joy96b; Joy00, §11, §12]

(15) Spin(7)-MANIFOLDS (Date: 5.2, Speaker: TBD)

- (a) Explain what Spin(7) is and its embedding  $\text{Spin}(7) \subset \text{SO}(8)$ .
- (b) Introduce the concept Spin(7)-manifold.
- (c) Explain the relation of Spin(7) to  $G_2$ , Sp(2), SU(4).
- (d) Sketch the statement of Joyce’s Spin(7) perturbation theorem.
- (e) Sketch Joyce’s “new” construction of Spin(7)-manifolds.


[Joy99; Joy00, §13, §15]




(16) CALIBRATIONS (Date: 12.2, Speaker: TBD)

- (a) Introduce the concepts calibration, calibrated submanifold. Explain the connection between calibrated submanifolds and minimal submanifolds (homologically volume minimising submanifolds).
- (b) Discuss that Riemannian manifolds with special holonomy carry calibrations, and explain some construction methods for calibrated submanifolds.
- (c) OPTIONS:
  - (i) Discuss the deformation theory of (certain) calibrated submanifolds. Sketch Joyce's and Donaldson–Thomas's ideas regarding enumerative invariants from calibrated submanifolds.
  - (ii) Discuss the Thomas–Yau conjecture regarding special Lagrangians.
  - (iii) Discuss the Angle Theorem and the Nance calibration.

[Harvey1982]

## References

- [Ber55] M. Berger. *Sur les groupes d'holonomie homogène des variétés à connexion affine et des variétés riemanniennes*. *Bulletin de la Société Mathématique de France* 83 (1955), pp. 279–330. MR: [0079806](#). Zbl: [0068.36002](#) (cit. on p. 1)
- [Bes87] A. L. Besse. *Einstein manifolds*. *Ergebnisse der Mathematik und ihrer Grenzgebiete (3) [Results in Mathematics and Related Areas (3)]* 10. Springer, 1987, pp. xii+510. DOI: [10.1007/978-3-540-74311-8](#). MR: [867684](#) (cit. on p. 5)
- [BS89] R. L. Bryant and S. M. Salamon. *On the construction of some complete metrics with exceptional holonomy*. *Duke Mathematical Journal* 58.3 (1989), pp. 829–850. DOI: [10.1215/S0012-7094-89-05839-0](#). MR: [1016448](#) (cit. on p. 5)
- [Bry06] R. L. Bryant. *Some remarks on  $G_2$ -structures*. *Proceedings of Gökova Geometry-Topology Conference 2005*. Gökova Geometry/Topology Conference (GGT), Gökova, 2006, pp. 75–109. arXiv: [math/0305124](#). MR: [2282011](#). Zbl: [1115.53018](#) (cit. on p. 5)
- [GH78] G. W. Gibbons and S. W. Hawking. *Gravitational multi-instantons*. *Physics Letters* 78B (1978), pp. 430–432. DOI: [10.1016/0370-2693\(78\)90478-1](#) (cit. on p. 4)
- [GRG97] G. W. Gibbons, P. Rychenkova, and R. Goto. *HyperKähler Quotient Construction of BPS Monopole Moduli Spaces*. *Communications in Mathematical Physics* 186.3 (1997), pp. 581–599. DOI: [10.1007/s002200050121](#). arXiv: [hep-th/9608085](#). MR: [1463814](#). Zbl: [0886.58011](#) (cit. on p. 4)
- [Hay08] Andriy Haydys. *HyperKähler and quaternionic Kähler manifolds with  $S^1$ -symmetries*. *J. Geom. Phys.* 58.3 (2008), pp. 293–306. DOI: [10.1016/j.geomphys.2007.11.004](#).  (cit. on p. 5)

- [Hit92] Nigel Hitchin. *Hyperkähler manifolds*. *Astérisque* 206 (1992). Séminaire Bourbaki, Vol. 1991/92, Exp. No. 748, 3, 137–166. MR: [1206066](#). Zbl: [0979.53051](#) (cit. on p. 5)
- [Hit13] Nigel Hitchin. *On the hyperkähler/quaternion Kähler correspondence*. *Comm. Math. Phys.* 324.1 (2013), pp. 77–106. DOI: [10.1007/s00220-013-1689-y](#).  (cit. on p. 5)
- [HKLR87] Nigel J. Hitchin, A. Karlhede, U. Lindström, and M. Roček. *Hyper-Kähler metrics and supersymmetry*. *Communications in Mathematical Physics* 108.4 (1987), pp. 535–589. DOI: [10.1007/BF01214418](#). MR: [877637](#). Zbl: [0632.53073](#) (cit. on p. 5)
- [Huy05] Daniel Huybrechts. *Complex geometry*. Universitext. An introduction. Springer-Verlag, Berlin, 2005, pp. xii+309 (cit. on pp. 3, 4)
- [Joy96a] D. D. Joyce. *Compact Riemannian 7-manifolds with holonomy  $G_2$ . I*. *Journal of Differential Geometry* 43.2 (1996), pp. 291–328. DOI: [10.4310/jdg/1214458109](#). MR: [MR1424428](#). Zbl: [0861.53022](#) (cit. on p. 5)
- [Joy96b] D. D. Joyce. *Compact Riemannian 7-manifolds with holonomy  $G_2$ . II*. *Journal of Differential Geometry* 43.2 (1996), pp. 329–375. DOI: [10.4310/jdg/1214458110](#). MR: [MR1424428](#). Zbl: [0861.53023](#) (cit. on p. 5)
- [Joy99] D. D. Joyce. *A new construction of compact 8-manifolds with holonomy  $\text{Spin}(7)$* . *Journal of Differential Geometry* 53.1 (1999), pp. 89–130. MR: [1776092](#). Zbl: [1040.53062](#).  (cit. on p. 6)
- [Joy00] D. D. Joyce. *Compact manifolds with special holonomy*. Oxford Mathematical Monographs. Oxford University Press, 2000. MR: [1787733](#). Zbl: [1027.53052](#) (cit. on pp. 2–6)
- [Lye23] Jørgen Olsen Lye. *A detailed look at the Calabi–Eguchi–Hanson spaces*. 2023. DOI: [10.48550/arXiv.2201.07295](#). arXiv: [2201.07295](#) (cit. on p. 4)
- [Swa91] Andrew Swann. *Hyper-Kähler and quaternionic Kähler geometry*. *Math. Ann.* 289.3 (1991), pp. 421–450. DOI: [10.1007/BF01446581](#).  (cit. on p. 5)